

1 **Students today... educators tomorrow**

2
3 Keri Moore^{1,2}

4 Brett Vaughan²

5
6 ¹ School of Health and Human Sciences, Southern Cross University, Bilinga,
7 Queensland, Australia

8 ² College of Health & Biomedicine, Victoria University, Melbourne, Australia

9
10 Keri Moore, Clinical Education Specialist and Consultant, School of Health and
11 Human Sciences, Southern Cross University, Gold Coast Highway, Bilinga,
12 Queensland 4225, Australia. E-mail: mooreclinicaleducation@hotmail.com

17 **Students today... educators tomorrow**

18

19

20 **SUMMARY**

21

22 Background:

23 The article describes the use of the mini clinical examination (mini-CEX) in a pilot
24 study to introduce peer assessment in one allied health programme to explore
25 students' capacity as clinical educators. Preparing today's pre-professional health
26 students to be clinical educators by engaging them in peer teaching, learning and
27 assessment may encourage them to become tomorrow's clinical educators.

28

29 Context:

30 Peer assessment is common among many undergraduate medical and allied health
31 programmes, and is typically used as a means of providing students with feedback
32 on their clinical skill development. We argue that peer assessment ought to be
33 focused not only on the development of learners' clinical skills and knowledge, but
34 also on preparing learners for their responsibilities as clinical educators.

35

36 Innovation:

37 Final-year Australian osteopathy students in our on-campus university clinic
38 undertook, without training, peer assessment and provision of feedback related to
39 clinical performance using a discipline-specific adaptation
40 of the mini-CEX. The current study suggests that students are able to judge
41 another's consultation skills and case management in that they identify what we
42 know are common learning issues for students at this level.

43

44 Implication:

45 Students may be willing to engage in peer assessment if they see the exercise as a
46 way to improve patient care and to develop their skills as educators – potentially
47 encouraging them to become clinical educators in the future.

48

49

50 **INTRODUCTION**

51

52 The process by which learners at the same stage of their training are asked to make
53 judgement on the work of one of their peers is termed peer assessment. From that
54 activity, among other outcomes, the peer assessor learns to make judgements and
55 to provide feedback for their peers. In the peer assessor's future role as a health
56 care professional, teaching and assessing peers is an expected competency (1).

57 Learning to be a peer assessor in the workplace arguably helps health care
58 students to develop skills that contribute to patient care, and possibly motivates them
59 to consider becoming engaged in clinical education, becoming a member of
60 tomorrow's academic faculty staff (2).

61

62 Peer assessment has educational value, yet we know that in many instances
63 students are reluctant to be assessed by a peer (3), particularly in summative
64 assessments. Peer assessors also don't like to think that they affect another
65 student's progress in a negative way (4). Furthermore, peer assessors feel
66 uncomfortable reporting observed clinical weaknesses or unprofessional behaviour
67 to a peer, and would rather present such information to a third party to pass on (4).

68 Only one study demonstrated that students can assess peers dispassionately (5).

69 The aim of the current study was to ascertain whether students, who were not
70 specifically trained to use the mini-clinical examination (mini-CEX) as peer
71 assessors, could engage in peer assessment, make performance judgements and
72 provide useful feedback. The mini-CEX tool was used as it provides a snapshot of a
73 student's clinical performance and has previously been used in osteopathy clinical
74 education.

75 **METHODS**

76

77 The osteopathy programme at Victoria University (VU, Melbourne, Australia) is a 5-
78 year pre-professional programme with clinical education undertaken in on-campus
79 clinics. In this environment it is expected that students in years 4 and 5 will develop
80 and consolidate their clinical and professional skills, and knowledge, prior to
81 registration. The student is expected to take a clinical history, undertake an
82 examination, and develop/implement a management plan for patients, all under the
83 supervision of registered osteopaths (6). Students manage members of
84 the general public with a range of acute and chronic musculoskeletal complaints. As
85 part of a workplace-based assessment programme, the mini-CEX is used to assess
86 a student's progress (7).

87

88 The mini-CEX is an assessment tool that can be used to provide a snapshot of
89 student performance whilst managing a patient in a workplace setting. The tool
90 captures performance across six domains: information gathering; clinical
91 examination; communication & counselling skills; clinical judgement; organisation &
92 efficiency; and professionalism. The students' overall performance managing the
93 patient during the consultation is also assessed. The domains and overall
94 performance are assessed on a scale from 1 (well below expectation) to 6 (well
95 above expectation). Not all domains may be observed during a patient consultation
96 and the examiner can mark 'not observed' for particular domain(s). Multiple mini-
97 CEX assessments with different examiners and different patients are required to
98 make a reliable judgement about competency. The present study explored aspects
99 of the utility of the mini-CEX as a peer assessment tool with a view to: (1) providing

100 students with peer feedback on their clinical work; and (2) exploring whether student
101 peer assessors were able to make judgements and provide useful feedback.

102

103 The study was approved by the VU Human Research Ethics Committee. All 52
104 students enrolled in year 5 (final year) of the osteopathy programme at VU were
105 required to complete a minimum of two mini-CEX assessments on a year-5 peer as
106 a hurdle requirement. The assessment was not summative and did not contribute to
107 the grade for their clinical subjects. These students had already undertaken
108 approximately 500 hours of clinical training prior to this point, including the
109 management of approximately 100 patients under supervision. The peer assessor
110 selected the aspect of the consultation to be assessed, as we wanted to provide an
111 opportunity for the peer assessor to select an area that they felt comfortable
112 assessing. Students were able to choose their peer assessor. The assessment was
113 completed during allocated clinical time.

114

115 Quantitative results from each mini-CEX were extracted and analysed. Qualitative
116 comments were independently classified by the authors using an adaptation of a tier-
117 feedback taxonomy (Box 1) (8). The authors met several times to discuss
118 interpretations, differences and to form a consensus.

119

120

121 **Box 1. Modified four-tier feedback taxonomy.**

122

Tier 1 - No comment

Tier 2 - Vague comment: global statement (e.g. overall good performance)

Tier 3 - Descriptive comment: a clear point or issue for the student to act upon
(e.g. excellent rapport with patients)

Tier 4 - A clear point or issue for the student to act upon, with qualifiers as to what
the consequences would be

123

124

125 **RESULTS**

126

127 One hundred and eighteen assessments were completed during semesters 1 and 2
128 in 2014. Fourteen students had three assessments completed on them. The
129 presenting complaints are provided in Figure 1. Peer assessors conducted
130 assessments across three aspects of the osteopathy consultation: Clinical History
131 (31.4%), Examination (35.6%) and Management (33.1%).

132

133 **Figure 1.** Regions of presenting complaints assessed.

134

135 Descriptive statistics for the mini-CEX are presented in Table 1. The high number of
136 'NO/Missing' entries is related to the aspect of the consultation observed, as some
137 domains were not relevant in every instance (i.e. the clinical examination domain is
138 not relevant when assessing history taking). The time taken with the assessment and
139 to provide feedback was acceptable to both parties. Anecdotal reports indicate that
140 both students and peer assessors felt the process had some educational value and
141 were keen to participate in similar activities again.

142

143 **Table 1.** Descriptive statistics for the mini-CEX domains and quality assurance
144 items.

145

146 Peer assessors were asked to provide students with written comments on the
147 aspects of the consultation that: (1) performed well; (2) needed development and
148 improvement; and (3) were agreed as items to action. Qualitative comments from the

149 118 assessments fell into the two central tiers: global statements and clear
150 comments (Table 2).

151

152 **Table 2.** Classification of qualitative comments provided by peer assessors on the
153 mini-CEX form.

154

155 Written comments included the following examples:

156

- 157 • An example of a global statement, on an area performed well, was 'Very
158 friendly and relaxed' (student no. 7).
- 159 • An example of a clear point, an area for improvement, was '[seek] more
160 patient feedback on comfort/pain levels' (student no. 6).
- 161 • An example of a clear point with consequences, an area for improvement,
162 was 'Address fears of running due to previous injury – relationship to
163 presenting complaint' (student no. 5).

164

165 The comments suggested peer assessors were able to identify:

- 166 • the questioning techniques used during patient interviews;
- 167 • whether rapport had been established and when
- 168 • communication had gone astray;
- 169 • which clinical tests and techniques were omitted or not performed properly;
- 170 • postural errors that could cause the student to suffer an injury – an important
171 consideration in manual therapy; and
- 172 • the thoroughness of the consultation relative to the patient's health concern.

173

174

175 **DISCUSSION**

176

177 From the snapshot presented here, it appears that the peer assessors had a clear
178 model of what constitutes an appropriate osteopathy consultation for a given health
179 concern, and were able to make judgements about a peer's performance and
180 provide feedback (9). The median mini-CEX domain values were in the mid-range:
181 no student 'failed' a mini-CEX and, taken on face value, it seems that peer assessors
182 were reluctant to use the full scale range on each domain. This may possibly be
183 because of student/peer assessor familiarity or reluctance to find fault (4,5).

184

185 Ostensibly it appears that this cohort have the baseline skills to be peer assessors
186 and perhaps clinical educators in the future: that is, to complete assessments and
187 provide feed- back. The ability to provide feedback to peers is encouraged by patient
188 safety and quality of care agendas, engenders collabo- ration,⁹ and creates an
189 environment that has sense of a community of practice. The feedback – short written
190 statements – did not suggest the

191

192 Peer assessors conducted assessments across three aspects of the osteopathy
193 consultation possible consequences of the omissions or errors observed for the
194 patient personally or the patient's health concern. We also think the brevity of the
195 written feedback was linked to time constraints, or it may reflect a misunderstanding
196 of the value of providing meaningful, constructive feedback in written form for
197 accountability and audit purposes. The peer assessors in the present study did
198 identify learning issues for students at this level of their pre- professional

199 programme. Anecdotally, these are consistent with those identified by clinical
200 educators in the VU programme.

201
202 Students probably require training in how to give useful feedback (3,10). The present
203 study was opportunistic given the previous successful implementation of the mini-
204 CEX, and therefore it was not possible to provide training for peer assessors. Future
205 studies will provide training for students in the peer assessment process and will
206 provide feedback, as this has the potential to help students learn to think as clinical
207 educators in the hope of moving beyond the notion of a peer appraising the work of a
208 classmate.

209
210 Beyond the training issues, there are a number of limitations in the present study.
211 There was no way to confirm the accuracy of the student peer assessor's
212 observations and comments. This would only be possible if the consultation was
213 videotaped or if both a clinical educator and peer assessor were present at the same
214 time. Students could select who assessed them, therefore leniency could have
215 played a part in the results. Allocating the student a peer assessor may help to
216 resolve this to some extent, but given the small cohort size it is unlikely to have a
217 significant influence. Peer assessors were untrained but had experience being
218 assessed by a clinical educator using the mini-CEX during their clinical training.

219
220

221 **CONCLUSION**

222

223 Our snapshot exploration of the peer assessment skills of pre- professional
224 osteopathy students who received no training as educators or assessors suggests
225 that they have some capability to judge the work of others and provide written
226 feedback. Embedding peer assessment activities in the pre-professional clinical
227 curriculum is potentially a way to motivate today's students to become tomorrow's
228 clinical educators, thereby developing the future health workforce. This is critical
229 given that all health professions struggle to find willing practitioners to become
230 clinical educators. Future studies need to explore the perceived educational value of
231 the peer assessment process in this context, the actual practice of pre-professional
232 peer assessors in relation to other assessments and the legal aspects of peer
233 assessment in clinical education.

234

235 **REFERENCES**

236

- 237 1. Gusic M, Hageman H, Zenni E. Peer review: a tool to enhance clinical teaching.
238 Clin Teach 2013;10(5):287–290.
- 239 2. Mileder L. Are medical schools hesitant to teach undergraduate students teaching
240 skills? A medical student's critical view. Med Educ Online 2013;18:1–2.
- 241 3. Burgess AW, Roberts C, Black KI, Mellis C. Senior medical student perceived
242 ability and experience in giving peer feedback in formative long case examinations.
243 BMC Med Educ 2013;13:79.
- 244 4. Shue CK, Arnold L, Stern DT. Maximizing participation in peer assessment of
245 professionalism: the students speak. Acad Med 2005;80:S1–S5.
- 246 5. McGarr O, Clifford AM. 'Just enough to make you take it seriously': ex- ploring
247 students' attitudes towards peer assessment. Higher Education 2013;65:677–693.
- 248 6. Vaughan B, MacFarlane C, Florentine P. Clinical education in the osteopathy
249 program at Victoria University. Int J Osteopath Med 2014;17:199–205.
- 250 7. Vaughan B, Moore K. The mini Clinical Evaluation Exercise (mini- CEX) in a pre-
251 registration osteopathy program: Exploring aspects of its validity. Int J Osteopath
252 Med 2015;19:61–72.
- 253 8. Burnand H, Fysh T, Wheeler J, Allum W. Feedback and performance scores for
254 direct observation of procedural skills. Bulletin of The Royal College of Surgeons of
255 England 2014;96:e5–e8.
- 256 9. Kearney S, Perkins T, Kennedy-Clark S. Using self-and peer-assessment for
257 summative purposes: analysing the relative validity of the AASL (Authentic
258 Assessment & Sustainable Learning) model. Assessment and Evaluation in Higher
259 Education 2015;1–14.

260 10. Finn GM, Garner J. Twelve tips for implementing a successful peer assessment.

261 Med Teach 2011;33:443–446.

262

263

264




Figure 1. Regions of presenting complaints assessed

Table 1. Descriptive statistics for the mini-CEX domains and quality assurance items.

Mini-CEX domain	Mean (SD)	Median	Range	NO/Missing
Information gathering	4.59 (± 0.54)	5	4-6	13
Clinical examination	4.60 (± 0.62)	4	3-6	48
Counselling & communication skills	4.76 (± 0.56)	5	3-6	0
Clinical judgement	4.59 (± 0.58)	4	3-6	1
Organisation & efficiency	4.66 (± 0.65)	4	3-6	0
Professionalism	4.91 (± 0.71)	5	3-6	0
Overall clinical competence	4.69 (± 0.50)	5	2-6	10
Quality assurance items				
Time assessing (mins)	14.36 (± 7.06)	11	4-45	8
Time taken to provide feedback (mins)	7.40 (± 3.61)	5	2-20	29
Examiner satisfaction	4.78 (± 0.49)	5	4-6	4
Student satisfaction	4.74 (± 0.60)	5	3-6	45

*NO – not observed, mini-CEX domains and overall clinical competence were each scored on 1-6 scale with a maximum possible score of 36.

Table 2. Classification of qualitative comments provided by peer assessors on the mini-CEX form.

Tier	Aspects performed well	Areas for development	Agreed actions
1- No comment	0	5	108
2- Global Statement	81	60	12
3- Clear point	303	190	88
4- Clear point with consequences identified	11	8	3
	395	263	211